

CORRECTION

Open Access



Correction: Two cases of hemodynamic improvement by modulation of atrioventricular delay in cardiac operations

Akiko Tomita-Kobayashi^{1,2*}, Tomoko Fujimoto¹, Shoko Takada¹, Yuki Masuda³, Akinobu Mizutani³ and Yukio Hayashi¹

Correction: *JA Clin Rep* 8, 56 (2022)

<https://doi.org/10.1186/s40981-022-00546-z>

Following the publication of the original article [1], the author reported that “Anesthesiology Service, Sakurabashi-Watanabe Hospital, Osaka, Japan” was missing.

This has been corrected in this correction article and the original article has been updated.

Author details

¹Anesthesiology Service, Sakurabashi-Watanabe Hospital, Osaka, Japan.

²Present address: Anesthesiology Service, Osaka City General Hospital, 2-13-22 Miyakojima-hondori, Miyakojima-ku, Osaka 531-0021, Japan. ³Radiologic Technology Service, Sakurabashi-Watanabe Hospital, Osaka, Japan.

Published online: 27 August 2022

Reference

1. Tomita-Kobayashi A, Fujimoto T, Takada S, et al. Two cases of hemodynamic improvement by modulation of atrioventricular delay in cardiac operations. *JA Clin Rep*. 2022;8:56. <https://doi.org/10.1186/s40981-022-00546-z>.

The original article can be found online at <https://doi.org/10.1186/s40981-022-00546-z>.

*Correspondence: akko_tomi1219@yahoo.co.jp

² Present address: Anesthesiology Service, Osaka City General Hospital, 2-13-22 Miyakojima-hondori, Miyakojima-ku, Osaka 531-0021, Japan
Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.